

華明邨 – 頌明樓
消防年檢後執修工程

(1) 更換220V消防掣手

位置：近13 – 18室：4/F	
更換前 	更換後 

(2) 更換100mm直徑消防喉

位置：近07 – 12室：27/F至26/F	
更換前 	更換後 
位置：近07 – 12室：23至22/F	
更換前 	更換後 

位置：近07 - 12室：16/F至15/F

更換前



更換後



位置：近07 - 12室：3/F至2/F

更換前



更換後



位置：近13 - 18室：21/F至20/F

更換前



更換後



位置：近13 - 18室：7至6/F

更換前



更換後



位置：近13 - 18室：2/F至1/F

更換前



更換後




(3) 更換65mm直徑消防喉轆喉

位置：近07 - 12室：19/F至18/F

更換前



更換後




位置：近07 - 12室：3至2/F

更換前




更換後



位置：近13 - 18室：7/F至6/F

更換前



更換後



(4) 更換40m直徑消防喉轆喉

近01 - 06室：34/F至33/F

更換前



更換後



近01 - 06室：31/F至29/F

更換前



更換後




近01 - 06室：21/F至20/F

更換前




更換後



近01 - 06室 : 10/F至8/F

更換前



更換後



位置 : 近13 - 18室 : 22/F

更換前



更換後



位置：近13 - 18室：9/F至6/F

更換前



更換後



(5) 更換消防龍頭

位置：近07 - 12室：33/F

更換前



更換後



(6) 更換搖擺喉轆

位置：近07-12室：2/F

更換前



更換後



(7) 更換5kg二氧化碳滅火筒

地下電話機房

更換前



更換後



地下電掣房

更換前



更換後



地下總電掣房	
更換前 	更換後 
天台升降機房	
更換前 	更換後 

(8) 更換2kg二氧化碳滅火筒

17/F消防泵房	
更換前 	更換後 

地下保安座頭

更換前



更換後



(9) 更換9L水劑滅火筒

地下保安座頭

更換前



更換後

